

# **APPENDIX A**

The attached Appendix is considered to be part of and included in the present Amendment.

HTML source

The following HTML source does not contain scripting code or form support as those elements of the HTML application are irrelevant for the purposes of demonstration.

```
<html>
<head>
  <title>
    User Interface
  </title>
  <style type="text/css">
    . { font-size: 10pt; font-family: arial,sans-serif }
    .uibody { }
    .uimenubar { background-color: #acacac }
    .uimenuitem { font-size: 9pt; padding-right: 6px; padding-left: 6px }
    .uitoolbar { background-color: #c0c0c0 }
    .uipanel { }
    .uibtn { width: 16px; border-top: 1px solid; border-bottom:
1px solid; border-left: 1px solid; border-right: 1px solid }
    .uibtxt { nowrap; border-top: 1px solid; border-bottom: 1px
solid; border-left: 1px solid; border-right: 1px solid }
    .uigroup { background-color: #e0e0e0; border-top: 1px solid; border-bottom:
1px solid; border-left: 1px solid; border-right: 1px solid }
  </style>
</head>
<body class="uibody" leftmargin="0" topmargin="0">
  <table cols="1" cellpadding="0" cellspacing="0" width="100%" height="100%">
    <tr>
      <td>
        <table cols="2" cellpadding="0" cellspacing="0" width="100%">
          <tr>
            <td class="uimenubar" height="20">
              <table>
                <tr>
                  <td class="uimenuitem" nowrap>
                    File
                  </td>
                  <td class="uimenuitem" nowrap>
                    Edit
                  </td>
                  <td class="uimenuitem" nowrap>
                    View
                  </td>
                  <td class="uimenuitem" nowrap>
                    Insert
                  </td>
                  <td class="uimenuitem" nowrap>
                    Tools
                  </td>
                  <td class="uimenuitem" nowrap>
                    Topic
                  </td>
                  <td class="uimenuitem" nowrap>
                    Help
                  </td>
                  <td width="10096" align="right">
                    </td>
                </tr>
              </table>
            </td>
          </tr>
        </table>
      </td>
    </tr>
  </table>
```

```

        <td height="1" bgcolor="#000000">
    </td>
</tr>
<tr>
    <td class="uitoolbar" height="28">
        <table>
            <tr>
                <td class="uibtn" align="middle">
                    <span id="b01"></span>
                </td>
                <td class="uibtn" align="middle">
                    <span id="b02"></span>
                </td>
                <td class="uibtn" align="middle">
                    <span id="b03"></span>
                </td>
                <td width="4">
                </td>
                <td class="uibtn" align="middle">
                    <span id="b04"></span>
                </td>
                <td class="uibtn" align="middle">
                    <span id="b05"></span>
                </td>
                <td class="uibtn" align="middle">
                    <span id="b06"></span>
                </td>
                <td class="uibtn" align="middle">
                    <span id="b07"></span>
                </td>
                <td width="4">
                </td>
                <td class="uibtn" align="middle">
                    <span id="b08">&nbsp;Tool 1</span>
                </td>
                <td class="uibtn" align="middle">
                    <span id="b09">&nbsp;Tool 2</span>
                </td>
                <td class="uibtn" align="middle">
                    <span id="b10">&nbsp;Tool 3</span>
                </td>
            </tr>
        </table>
    </td>
</tr>
<tr>
    <td height="1" bgcolor="#000000">
    </td>
</tr>
</table>
</td>
</tr>
</tr>

```

```

        <td class="uipanel" width="100%" height="100%">
        <div style="position: relative; left: 0; top: 0; width: 100%;
height: 100%; overflow: auto">
        <table cellpadding="5" cellspacing="5">
        <tr>
        <td class="uigroup">
        <div style="position: relative; left: 0; top: 0; width:
100%; height: 100%">
                <div class="uicontrol">
                <span class="uilabel">Check Boxes</span>
                </div>
                <div class="uicontrol">
                <input type="checkbox" checked>
                <span class="uilabel">Check 1</span>
                </div>
                <div class="uicontrol">
                <input type="checkbox">
                <span class="uilabel">Check 2</span>
                </div>
                <div class="uicontrol">
                <input type="checkbox">
                <span class="uilabel">Check 3</span>
                </div>
        </div>
        </td>
        <td class="uigroup">
        <div style="position: relative; left: 0; top: 0; width:
100%; height: 100%">
                <div class="uicontrol">
                <span class="uilabel">Radio Buttons</span>
                </div>
                <div class="uicontrol">
                <input type="radio" checked>
                <span class="uilabel">Radio 1</span>
                </div>
                <div class="uicontrol">
                <input type="radio">
                <span class="uilabel">Radio 2</span>
                </div>
        </div>
        </td>
        <td class="uigroup">
        <div style="position: relative; left: 0; top: 0; width:
100%; height: 100%">
                <div class="uicontrol">
                <span class="uilabel">Buttons</span>
                </div>
                <div class="uicontrol">
                <input type="button" value="Push 1">
                </div>
                <div class="uicontrol">
                <input type="button" value="Push 2">
                </div>
        </div>
        </td>
        <td class="uigroup">
        <div style="position: relative; left: 0; top: 0;
width: 100%; height: 100%">
                <p>
                This is sample text with <a
href="http://www.yahoo.com/">Link 1</a>, <a
href="http://www.msn.com/">Link 2</a> and <a
href="http://www.aol.com/">Link 3</a>.

```

```

</p>
    </div>
  </td>
</tr>
</table>
<table cellpadding="5" cellspacing="5">
  <tr>
    <td class="uigroup">
      <div style="position: relative; left: 0; top: 0; width: 100%;
height: 100%">
        <div class="uicontrol">
          <span class="uilabel">Edits, Combo Boxes, List
Boxes</span>
        </div>
        <table>
          <tr>
            <td>
              <span class="uilabel">Text 1</span>
            </td>
            <td>
              <input type="text">
            </td>
          </tr>
          <tr>
            <td>
            </td>
            <td>
              <input type="text">
            </td>
          </tr>
          <tr>
            <td>
              <span class="uilabel">Combo 1</span>
            </td>
            <td>
              <select class="uicombo" size="1">
                <option value="1">
                  Option 1
                </option>
                <option value="2">
                  Option 2
                </option>
                <option value="3">
                  Option 3
                </option>
              </select>
            </td>
          </tr>
          <tr>
            <td>
              <span class="uilabel">Text 2</span>
            </td>
            <td>
              <input type="text">
            </td>
          </tr>
        </table>
      </div>
    </td>
    <td class="uigroup">
      <div style="position: relative;left: 0;top: 0;width:
100%;height: 100%">
        <table>

```

```

<tr>
  <td>
    <span class="uilabel">Combo 2</span>
  </td>
  <td>
    <select class="uicombo" size="1">
      <option value="1">
        Option 1
      </option>
      <option value="2">
        Option 2
      </option>
      <option value="3">
        Option 3
      </option>
    </select>
  </td>
</tr>
<tr>
  <td>
    <span class="uilabel">Text 3</span>
  </td>
  <td>
    <input type="text">
  </td>
</tr>
<tr>
  <td>
    <span class="uilabel">List 1</span>
  </td>
  <td>
    <select class="uilibox" size="3">
      <option value="1">
        Option 1
      </option>
      <option value="2"> Option 2
      </option>
      <option value="3"> Option 3
      </option>
    </select>
  </td>
</tr>
</table>
</div>
</td>
</tr>
</table>
</div>
</td>
</tr>
</table>
</body>
</html>

```